


JOHN MEUNIER

ROTARC® TYPE SD Rotary Drum Fine Screens



 **VEOLIA**
WATER

Solutions & Technologies

TYPE SD


Rotary Drum Fine Screens

The Rotary Drum Screen is installed directly into a channel and is supplied with pivoting capability. The unit consists of a solids capture screen in the shape of a drum, a conveying spiral, a press zone and a drive motor.

As the flow passes through the unit, the solids progressively collect onto the drum screen and cause it to gradually blind. The screen is activated as the upstream water level rises. The rotating drum brings the solids to its upper part where they fall into the conveying screw.

A high pressure sparge system set outside the drum, right above its periphery, will flush down all remaining solids adhering to the drum into the conveying screw. A stationary roller brush positioned after the wash system will clear any residual solids off the screen openings. The spiral screw then conveys the solids up to the press zone that provides screenings dewatering and volume reduction.

- Compaction can provide up to 40% dry solids and 50% weight reduction.
- Additional spray wash can be installed in the transport zone to reach higher organic removal levels. Up to 80% solids washing efficiency can be attained.
- Continuous bagging system is available to receive screenings to contain odors.
- The press zone and wash system can be omitted to suit requirements such as Storm Overflow applications where the screenings are returned to the main sewer line.



Drum screens can either be supplied for in channel installation or as a complete package inside a self contained stainless steel tank. The tank can also be supplied with a bypass arrangement.

The drum screen seal design ensures that solids are retained upstream even at peak flow. The use of small screen openings improves removal performance of fibres and hairs.



TYPE SD

Rotary Drum Fine Screens

Specifications

Flow range: Up to 48 MGD depending on the application and the screen opening size.

Screen availability: For channel size from 24-inch (600mm) to 102-inch (2600mm)

Screen size availability:

Perforated holes:

0.08-inch (2mm)

0.12-inch (3mm)

0.16-inch (4mm)

0.24-inch (6mm)

Wedge wire:

0.02-inch (0.5mm)

0.04-inch (1mm)

0.08-inch (2mm)

0.12-inch (3mm)



Fabrication:

Fabricated components (other than the spiral screw): Stainless steel AISI 304 (or 316 on request)

Spiral screw: Micro-Alloy steel or Stainless steel on request (AISI 304 or 316)

Typical Applications

- Municipal wastewater treatment
- Industrial effluent discharges
- MBR Membrane pre-screening
- Storm or Sea Outfall discharges

Features

- High solids separation: Wedge-wire or perforated-hole type screen ensure high separation efficiencies
- High quality seal: Ensures retained solids cannot pass through, bypass or overflow the screen.
- Low head loss: An inclination angle of 35° and large surface profile imparts increased immersed screening area and exposure to the incoming flow.
- Low footprint compact "ALL-IN-ONE" screenings removal, washing and compaction design.

Benefits

- High quality and reliability at low costs
- Easy installation
- Retrofit capability into existing channels
- Reduced disposal costs with screenings press
- Reliable and automatic self cleaning operation

John Meunier Inc. offers complete headworks solutions. We are recognized for our expertise in complete headworks design. We provide efficient solutions, combining key equipment from our product line. Call us today to find out about our great products!

Veolia Water Solutions & Technologies North America



John Meunier Inc. has been serving North-American municipalities and industries since 1948 by offering them complete water and wastewater treatment solutions. With our state-of-the-art technologies, efficient products and team of seasoned professionals, we design solutions to perfectly match the needs of our clients.

John Meunier Inc. is a subsidiary of Veolia Water Solutions & Technologies, the Veolia Water division which designs and manufactures technological solutions for water and wastewater treatment. Veolia Water is the world leader in water services, serving over 110 million people worldwide with close to 68,000 employees.

www.veoliawaterst.com

John Meunier Inc.

ISO 9001: 2008

Head Office

4105, rue Sartelon
Saint-Laurent, QC, Canada
H4S 2B3
T 514-334-7230 • F 514-334-5070

Ontario Office

2000 Argenta Road, Plaza IV, Suite 430
Mississauga, ON, Canada
L5N 1W1
T 905-286-4846 • F 905-286-0488

USA Office

2209 Menlo Ave
Glenside, PA, USA
19038
T 215-885-4740 • F 215-885-4741

Sales Direct Line

1-855-564-3747 (1-855-JMI EQIP)

sales@johnmeunier.com - www.johnmeunier.com